


One touch Fittings

Medium: Air

Working-Pressure: 0-8kgf/cm²

Operating Temperature: 0-60°C

Pneumatic Fitting Selection Matrix:



The First measure is always the tube diameter, the second measure is the thread or tubing on units without threads



PMC

PME

PYC

PBT

PRT

PCV

PXE

- PMC 1/8-10/32
- PMC 1/8-N1/8
- PMC 1/8-N1/4
- PMC 5/32-10/32
- PMC 5/32-N1/8
- PMC 5/32-N1/4
- PMC 3/16-10/32
- PMC 3/16-N1/8
- PMC 3/16-N1/4
- PMC 3/16-N3/8
- PMC 1/4-10/32
- PMC 1/4-N1/8
- PMC 1/4-N1/4
- PMC 1/4-N3/8
- PMC 5/16-N1/8
- PMC 5/16-N1/4
- PMC 5/16-N3/8
- PMC 3/8-N1/8
- PMC 3/8-N1/4
- PMC 3/8-N3/8
- PMC 3/8-N1/2
- PMC 1/2-N1/4
- PMC 1/2-N3/8
- PMC 1/2-N1/2

- PME 1/8-10/32
- PME 1/8-N1/8
- PME 1/8-N1/4
- PME 5/32-10/32
- PME 5/32-N1/8
- PME 5/32-N1/4
- PME 3/16-10/32
- PME 3/16-N1/8
- PME 3/16-N1/4
- PME 3/16-N3/8
- PME 1/4-10/32
- PME 1/4-N1/8
- PME 1/4-N1/4
- PME 1/4-N3/8
- PME 5/16-N1/8
- PME 5/16-N1/4
- PME 5/16-N3/8
- PME 3/8-N1/8
- PME 3/8-N1/4
- PME 3/8-N3/8
- PME 3/8-N1/2
- PME 1/2-N1/4
- PME 1/2-N3/8
- PME 1/2-N1/2

- PYC 1/8-10/32
- PYC 1/8-N1/8
- PYC 1/8-N1/4
- PYC 5/32-10/32
- PYC 5/32-N1/8
- PYC 5/32-N1/4
- PYC 3/16-10/32
- PYC 3/16-N1/8
- PYC 3/16-N1/4
- PYC 3/16-N3/8
- PYC 1/4-10/32
- PYC 1/4-N1/8
- PYC 1/4-N1/4
- PYC 1/4-N3/8
- PYC 5/16-N1/8
- PYC 5/16-N1/4
- PYC 5/16-N3/8
- PYC 3/8-N1/8
- PYC 3/8-N1/4
- PYC 3/8-N3/8
- PYC 3/8-N1/2
- PYC 1/2-N1/4
- PYC 1/2-N3/8
- PYC 1/2-N1/2

- PBT 1/8-10/32
- PBT 1/8-N1/8
- PBT 1/8-N1/4
- PBT 5/32-10/32
- PBT 5/32-N1/8
- PBT 5/32-N1/4
- PBT 3/16-10/32
- PBT 3/16-N1/8
- PBT 3/16-N1/4
- PBT 3/16-N3/8
- PBT 1/4-10/32
- PBT 1/4-N1/8
- PBT 1/4-N1/4
- PBT 1/4-N3/8
- PBT 5/16-N1/8
- PBT 5/16-N1/4
- PBT 5/16-N3/8
- PBT 3/8-N1/8
- PBT 3/8-N1/4
- PBT 3/8-N3/8
- PBT 3/8-N1/2
- PBT 1/2-N1/4
- PBT 1/2-N3/8
- PBT 1/2-N1/2

- PRT 1/8-10/32
- PRT 1/8-N1/8
- PRT 1/8-N1/4
- PRT 5/32-10/32
- PRT 5/32-N1/8
- PRT 5/32-N1/4
- PRT 3/16-10/32
- PRT 3/16-N1/8
- PRT 3/16-N1/4
- PRT 3/16-N3/8
- PRT 1/4-10/32
- PRT 1/4-N1/8
- PRT 1/4-N1/4
- PRT 1/4-N3/8
- PRT 5/16-N1/8
- PRT 5/16-N1/4
- PRT 5/16-N3/8
- PRT 3/8-N1/8
- PRT 3/8-N1/4
- PRT 3/8-N3/8
- PRT 3/8-N1/2
- PRT 1/2-N1/4
- PRT 1/2-N3/8
- PRT 1/2-N1/2

- PCV 1/8-10/32
- PCV 1/8-N1/8
- PCV 1/8-N1/4
- PCV 5/32-10/32
- PCV 5/32-N1/8
- PCV 3/16-N1/8
- PCV 3/16-N1/4
- PCV 3/16-N1/8
- PCV 1/4-10/32
- PCV 1/4-N1/8
- PCV 1/4-N1/4
- PCV 1/4-N3/8
- PCV 5/16-N1/8
- PCV 5/16-N1/4
- PCV 5/16-N3/8
- PCV 3/8-N1/4
- PCV 3/8-N3/8
- PCV 3/8-N1/2
- PCV 1/2-N3/8
- PCV 1/2-N1/2

- PXE 5/32-10/32
- PXE 5/32-N1/8
- PXE 3/16-N1/8
- PXE 3/16-N1/4
- PXE 3/16-N3/8
- PXE 1/4-N1/8
- PXE 1/4-N1/4
- PXE 1/4-N3/8
- PXE 5/16-N1/8
- PXE 5/16-N1/4
- PXE 5/16-N3/8
- PXE 3/8-N1/4
- PXE 3/8-N3/8
- PXE 3/8-N1/2
- PXE 1/2-N1/4
- PXE 1/2-N3/8
- PXE 1/2-N1/2

- PMC 4MM-M5
- PMC 4MM-M6
- PMC 4MM-N1/8
- PMC 4MM-N1/4
- PMC 6MM-M5
- PMC 6MM-M6
- PMC 6MM-N1/8
- PMC 6MM-N1/4
- PMC 6MM-N3/8
- PMC 6MM-N1/2
- PMC 8MM-N1/8
- PMC 8MM-N1/4
- PMC 8MM-N3/8
- PMC 8MM-N1/2
- PMC 10MM-N1/8
- PMC 10MM-N1/4
- PMC 10MM-N3/8
- PMC 10MM-N1/2
- PMC 12MM-N1/4
- PMC 12MM-N3/8
- PMC 12MM-N1/2

- PME 4MM-M5
- PME 4MM-M6
- PME 4MM-N1/8
- PME 4MM-N1/4
- PME 6MM-M5
- PME 6MM-M6
- PME 6MM-N1/8
- PME 6MM-N1/4
- PME 6MM-N3/8
- PME 6MM-N1/2
- PME 8MM-N1/8
- PME 8MM-N1/4
- PME 8MM-N3/8
- PME 8MM-N1/2
- PME 10MM-N1/8
- PME 10MM-N1/4
- PME 10MM-N3/8
- PME 10MM-N1/2
- PME 12MM-N1/4
- PME 12MM-N3/8
- PME 12MM-N1/2

- PYC 4MM-M5
- PYC 4MM-M6
- PYC 4MM-N1/8
- PYC 4MM-N1/4
- PYC 6MM-M5
- PYC 6MM-M6
- PYC 6MM-N1/8
- PYC 6MM-N1/4
- PYC 6MM-N3/8
- PYC 6MM-N1/2
- PYC 8MM-N1/8
- PYC 8MM-N1/4
- PYC 8MM-N3/8
- PYC 8MM-N1/2
- PYC 10MM-N1/8
- PYC 10MM-N1/4
- PYC 10MM-N3/8
- PYC 10MM-N1/2
- PYC 12MM-N1/4
- PYC 12MM-N3/8
- PYC 12MM-N1/2

- PBT 4MM-M5
- PBT 4MM-M6
- PBT 4MM-N1/8
- PBT 4MM-N1/4
- PBT 6MM-M5
- PBT 6MM-M6
- PBT 6MM-N1/8
- PBT 6MM-N1/4
- PBT 6MM-N3/8
- PBT 6MM-N1/2
- PBT 8MM-N1/8
- PBT 8MM-N1/4
- PBT 8MM-N3/8
- PBT 8MM-N1/2
- PBT 10MM-N1/8
- PBT 10MM-N1/4
- PBT 10MM-N3/8
- PBT 10MM-N1/2
- PBT 12MM-N1/4
- PBT 12MM-N3/8
- PBT 12MM-N1/2

- PRT 4MM-M5
- PRT 4MM-M6
- PRT 4MM-N1/8
- PRT 4MM-N1/4
- PRT 6MM-M5
- PRT 6MM-M6
- PRT 6MM-N1/8
- PRT 6MM-N1/4
- PRT 6MM-N3/8
- PRT 6MM-N1/2
- PRT 8MM-N1/8
- PRT 8MM-N1/4
- PRT 8MM-N3/8
- PRT 8MM-N1/2
- PRT 10MM-N1/8
- PRT 10MM-N1/4
- PRT 10MM-N3/8
- PRT 10MM-N1/2
- PRT 12MM-N1/4
- PRT 12MM-N3/8
- PRT 12MM-N1/2

- PCV 4MM-M5
- PCV 4MM-M6
- PCV 4MM-N1/8
- PCV 4MM-N1/4
- PCV 6MM-M5
- PCV 6MM-M6
- PCV 6MM-N1/8
- PCV 6MM-N1/4
- PCV 6MM-N3/8
- PCV 6MM-N1/2
- PCV 8MM-N1/8
- PCV 8MM-N1/4
- PCV 8MM-N3/8
- PCV 8MM-N1/2
- PCV 10MM-N1/4
- PCV 10MM-N3/8
- PCV 10MM-N1/2
- PCV 12MM-N1/4
- PCV 12MM-N3/8
- PCV 12MM-N1/2

- PXE 4MM-M5
- PXE 4MM-M6
- PXE 4MM-N1/8
- PXE 4MM-N1/4
- PXE 6MM-M5
- PXE 6MM-M6
- PXE 6MM-N1/8
- PXE 6MM-N1/4
- PXE 6MM-N3/8
- PXE 6MM-N1/2
- PXE 8MM-N1/8
- PXE 8MM-N1/4
- PXE 8MM-N3/8
- PXE 8MM-N1/2
- PXE 10MM-N1/8
- PXE 10MM-N1/4
- PXE 10MM-N3/8
- PXE 10MM-N1/2
- PXE 12MM-N1/4
- PXE 12MM-N3/8
- PXE 12MM-N1/2



PMU

PMU 5/32-1/8
PMU 1/4-5/32
PMU 5/16-5/32
PMU 5/16-1/4
PMU 3/8-1/4

PMU 6-4
PMU 8-4
PMU 8-6
PMU 10-6
PMU 10-8



PTR

PTR 1/8-5/32
PTR 5/32-1/4
PTR 1/4-5/16
PTR 1/4-3/8
PTR 3/8-1/2

PTR 4-6
PTR 6-8
PTR 8-10
PTR 10-12



PSU

PSU 1/8
PSU 5/32
PSU 3/16
PSU 1/4
PSU 5/16
PSU 3/8
PSU 1/2

PSU 4MM
PSU 6MM
PSU 8MM
PSU 10MM
PSU 12MM



PTU

PTU 1/8
PTU 5/32
PTU 3/16
PTU 1/4
PTU 5/16
PTU 3/8
PTU 1/2

PTU 4MM
PTU 6MM
PTU 8MM
PTU 10MM
PTU 12MM



PYU

PYU 1/8
PYU 5/32
PYU 3/16
PYU 1/4
PYU 5/16
PYU 3/8
PYU 1/2

PYU 4MM
PYU 6MM
PYU 8MM
PYU 10MM
PYU 12MM



PFV

PFV 1/8
PFV 5/32
PFV 3/16
PFV 1/4
PFV 5/16
PFV 3/8
PFV 1/2

PFV 4MM
PFV 6MM
PFV 8MM
PFV 10MM
PFV 12MM



PFC

PFC 5/32-10/32
PFC 5/32-N1/8
PFC 5/32-N1/4
PFC 1/4-N1/8
PFC 1/4-N1/4
PFC 5/16-N1/8
PFC 5/16-N1/4
PFC 5/16-N3/8
PFC 3/8-N1/4
PFC 3/8-N3/8
PFC 1/2-N1/4
PFC 1/2-N3/8

PFC 4MM-N1/8
PFC 4MM-N1/4
PFC 6MM-N1/8
PFC 6MM-N1/4
PFC 6MM-N3/8
PFC 8MM-N1/8
PFC 8MM-N1/4
PFC 8MM-N3/8
PFC 8MM-N1/2
PFC 10MM-N1/8
PFC 10MM-N1/4
PFC 10MM-N3/8
PFC 10MM-N1/2
PFC 12MM-N1/4
PFC 12MM-N3/8
PFC 12MM-N1/2



PMM

PMM 1/4-5/32-N1/8
PMM 5/16-5/32-N1/4
PMM 5/16-1/4-N1/4

PMM 6-4-N1/8
PMM 8-4-N1/4
PMM 8-6-N3/8
PMM 10-8-N3/8



PYR

PYR 1/8-5/32
PYR 5/32-1/4
PYR 1/4-5/16
PYR 1/4-3/8
PYR 3/8-1/2

PYR 4-6
PYR 6-8
PYR 8-10
PR 10-12



PRU

PRU 5/32-1/8
PRU 3/16-5/32
PRU 1/4-5/32
PRU 1/4-3/16
PRU 5/16-1/4
PRU 3/8-1/4
PRU 3/8-5/16
PRU 1/2-3/8

PRU 6-4MM
PRU 8-6MM
PRU 10-8MM
PRU 12-10MM



PEU

PEU 1/8
PEU 5/32
PEU 3/16
PEU 1/4
PEU 5/16
PEU 3/8
PEU 1/2

PEU 4MM
PEU 6MM
PEU 8MM
PEU 10MM
PEU 12MM



PCU

PCU 1/8
PCU 5/32
PCU 3/16
PCU 1/4
PCU 5/16
PCU 3/8
PCU 1/2

PCU 4MM
PCU 6MM
PCU 8MM
PCU 10MM
PCU 12MM



PBU

PBU 1/8
PBU 5/32
PBU 3/16
PBU 1/4
PBU 5/16
PBU 3/8
PBU 1/2

PBU 4MM
PBU 6MM
PBU 8MM
PBU 10MM
PBU 12MM



PRB

PRB 5/32-1/8
PRB 3/16-5/32
PRB 1/4-5/32
PRB 1/4-3/16
PRB 5/16-1/4
PRB 3/8-1/4
PRB 3/8-5/16
PRB 1/2-3/8

PRB 6-4MM
PRB 8-6MM
PRB 10-8MM
PRB 12-10MM



PTUR

PTUR 5/32-1/8
PTUR 1/4-5/32
PTUR 5/16-1/4
PTUR 3/8-1/4
PTUR 3/8-5/16
PTUR 1/2-3/8

PTUR 6-4MM
PTUR 8-6MM
PTUR 10-8MM
PTUR 12-10MM



PSE

PSE 5/32-10/32
PSE 5/32-N1/8
PSE 1/4-10/32
PSE 1/4-N1/8
PSE 1/4-N1/4
PSE 5/16-N1/4
PSE 5/16-3/8
PSE 3/8-N1/4
PSE 3/8-N3/8
PSE 1/2-N3/8
PSE 1/2-N1/2



PPG

PPG 1/8
PPG 5/32
PPG 3/16
PPG 1/4
PPG 5/16
PPG 3/8
PPG 1/2

PPG 4MM
PPG 6MM
PPG 8MM
PPG 10MM
PPG 12MM



PER

PER 1/8-5/32
PER 5/32-N1/4
PER 1/4-5/16
PER 5/16-3/8
PER 3/8-N1/2

PER 4-6MM
PER 6-8MM
PER 8-10MM
PER 10-12MM



PPE

PPE 1/8
PPE 5/32
PPE 3/16
PPE 1/4
PPE 5/16
PPE 3/8
PPE 1/2



PYJ

PYJ 1/8
PYJ 5/32
PYJ 1/4
PYJ 3/8

PYJ 4MM
PYJ 6MM
PYJ 8MM
PYJ 10MM

One touch fitting



PUE

PUE 1/8-10/32
 PUE 1/8-N1/8
 PUE 5/32-10/32
 PUE 5/32-N1/8
 PUE 3/16-10/32
 PUE 3/16-N1/8
 PUE 3/16-N1/4
 PUE 1/4-10/32
 PUE 1/4-N1/8
 PUE 1/4-N1/4
 PUE 5/16-N1/8
 PUE 5/16-N1/4
 PUE 5/16-N3/8
 PUE 3/8-N1/8
 PUE 3/8-N1/4
 PUE 3/8-N3/8
 PUE 1/2-N3/8
 PUE 1/2-N1/2

PUE 4MM-M5
 PUE 4MM-M6
 PUE 4MM-N1/8
 PUE 4MM-N1/4
 PUE 6MM-M5
 PUE 6MM-M6
 PUE 6MM-N1/8
 PUE 6MM-N1/4
 PUE 6MM-N3/8
 PUE 8MM-N1/8
 PUE 8MM-N1/4
 PUE 8MM-N3/8
 PUE 10MM-N1/4
 PUE 10MM-N3/8
 PUE 10MM-N1/2
 PUE 12MM-N1/4
 PUE 12MM-N3/8
 PUE 12MM-N1/2



PFE

PFE 5/32-10/32
 PFE 5/32-N1/8
 PFE 5/32-N1/4
 PFE 3/16-10/32
 PFE 3/16-N1/8
 PFE 3/16-N1/4
 PFE 1/4-10/32
 PFE 1/4-N1/8
 PFE 1/4-N1/4
 PFE 1/4-N3/8
 PFE 5/16-N1/8
 PFE 5/16-N1/4
 PFE 5/16-N3/8
 PFE 3/8-N1/4
 PFE 3/8-N3/8
 PFE 1/2-N3/8

PFE 4MM-M5
 PFE 4MM-M6
 PFE 4MM-N1/8
 PFE 4MM-N1/4
 PFE 6MM-M5
 PFE 6MM-M6
 PFE 6MM-N1/8
 PFE 6MM-N1/4
 PFE 6MM-N3/8
 PFE 8MM-N1/8
 PFE 8MM-N1/4
 PFE 8MM-N3/8
 PFE 10MM-N1/8
 PFE 10MM-N1/4
 PFE 10MM-N3/8
 PFE 10MM-N1/2
 PFE 12MM-N1/4
 PFE 12MM-N3/8
 PFE 12MM-N1/2



PBC

PBC 5/32-N1/8
 PBC 3/16-N1/8
 PBC 3/16-N1/4
 PBC 1/4-N1/8
 PBC 1/4-N1/4
 PBC 5/16-N1/8
 PBC 5/16-N1/4
 PBC 3/8-N1/4
 PBC 3/8-N3/8
 PBC 1/2-N3/8
 PBC 1/2-N1/2

PBC 4MM-N1/8
 PBC 4MM-N1/4
 PBC 6MM-N1/8
 PBC 6MM-N1/4
 PBC 6MM-N3/8
 PBC 8MM-N1/8
 PBC 8MM-N1/4
 PBC 8MM-N3/8
 PBC 8MM-N1/2
 PBC 10MM-N1/8
 PBC 10MM-N1/4
 PBC 10MM-N3/8
 PBC 10MM-N1/2
 PBC 12MM-N1/4
 PBC 12MM-N3/8
 PBC 12MM-N1/2



PCC

PCC 1/8-10/32
 PCC 1/8-N1/8
 PCC 1/8-N1/4
 PCC 5/32-10/32
 PCC 5/32-N1/8
 PCC 5/32-N1/4
 PCC 1/4-10/32
 PCC 1/4-N1/8
 PCC 1/4-N1/4
 PCC 3/8-N1/4
 PCC 3/8-N3/8
 PCC 1/2-N1/4
 PCC 1/2-N3/8



PMA

PMA 5/32-10/32
 PMA 5/32-N1/8
 PMA 1/4-10/32
 PMA 1/4-N1/8
 PMA 1/4-N1/4
 PMA 5/16-N1/4
 PMA 5/16-N3/8
 PMA 3/8-N1/4
 PMA 3/8-N3/8
 PMA 1/2-N3/8
 PMA 1/2-N1/2



PSC

PSC 1/8
 PSC 5/32
 PSC 1/4
 PSC 5/16
 PSC 3/8
 PSC 1/2

PSC 4MM
 PSC 6MM
 PSC 8MM
 PSC 10MM
 PSC 12MM



PSR

PSR 1/8-5/32
 PSR 5/32-1/4
 PSR 1/4-5/16
 PSR 1/4-3/8
 PSR 3/8-1/2

PSR 4-6MM
 PSR 6-8MM
 PSR 8-10MM
 PSR 10-12MM



PFBT

PFBT 1/8-N1/8
 PFBT 1/8-N1/4
 PFBT 5/32-N1/8
 PFBT 5/32-N1/4
 PFBT 1/4-N1/8
 PFBT 1/4-N1/4
 PFBT 3/8-N1/4
 PFBT 3/8-N3/8
 PFBT 1/2-N1/4
 PFBT 1/2-N3/8
 PFBT 1/2-N1/2



PPMU

PPMU 1/8-N1/8
 PPMU 1/8-N1/4
 PPMU 5/32-N1/8
 PPMU 5/32-N1/4
 PPMU 1/4-N1/8
 PPMU 1/4-N1/4
 PPMU 3/8-N1/4
 PPMU 3/8-N3/8
 PPMU 1/2-N1/4
 PPMU 1/2-N3/8
 PPMU 1/2-N1/2

Special order fitting sizes available



PUV

PUV 1/8-N1/8
 PUV 1/4-N1/4

PUV 6-6MM



PCV

PCV 1/4-N1/4



PIV

PIV 1/4-N1/4



PPV

PPV 1/4-N1/4